

INDEX OF DRAWINGS	
NUMBER	NAME
GENERAL	
G100	COVER SHEET
G101	TITLE SHEET
ARCHITECTURAL	
A050	ARCHITECTURAL SITE PLAN
A301	EXTERIOR ELEVATIONS
A302	DOOR/FRAME TYPES
A303	EXISTING CONDITIONS



NORTH DAKOTA GAME & FISH DEPARTMENT

NORTHWEST DISTRICT OFFICE BUILDING EXTERIOR REMODEL



5303 W FRONT ST. WILLISTON, ND 58801

D
C
B
A
9/15/2026 4:13:54 PM

LIST OF ABBREVIATIONS	
CODE	LIST OF ABBREVIATIONS DESCRIPTION
A/E	ARCHITECT/ENGINEER
AC	ALTERNATING CURRENT
ACI	AMERICAN CONCRETE INSTITUTE
ACM	ASBESTOS CONTAINING MATERIAL
ACT	ACOUSTICAL CEILING TILE
ADA	AMERICANS W/DISABILITIES ACT
AFF	ABOVE FINISH FLOOR
AHU	AIR HANDLING UNIT
AISC	AMERICAN INSTITUTE OF STEEL CONSTRUCTION
ALT	ALTERNATE
ALUM	ALUMINUM
ANSI	AMERICAN NATIONAL STANDARDS INSTITUTE
ARCH	ARCHITECT
ASI	ARCHITECTURAL SUPPLEMENTAL INSTRUCTION
AWI	AMERICAN WOODWORKING INSTITUTE
BD	BOARD
BLDG	BUILDING
BM	BEAM
BOT	BOTTOM
BRG	BEARING
BTU	BRITISH THERMAL UNITS
BUR	BUILT UP ROOFING
CAB	CABINET
CB	CATCH BASIN
CG	CORNER GUARD
CI	CAST IRON
CIP	CAST IN PLACE
CJ	CONTROL JOINT
CLG	CEILING
CLR	CLEAR
CMU	CONCRETE MASONRY UNIT
CO	CLEAN OUT
CONC	CONCRETE
CPT	CARPET
CSMT	CASEMENT
CSWK	CASEWORK
CT	CERAMIC TILE
CUH	CABINET UNIT HEATER
CWT	CERAMIC WALL TILE
DEMO	DEMOLITION
DEPT	DEPARTMENT
DF	DRINKING FOUNTAIN
DIA	DIAMETER
DIAG	DIAGONAL
DIM	DIMENSION
DIST	DISTANCE
DOC	DOCUMENT
DR	DOOR
DTL	DETAIL
DW	DISHWASHER
DWG	DRAWING
EA	EACH
EIFS	EXTERIOR INSULATION FINISH SYSTEM
EJ	EXPANSION JOINT
ELEC	ELECTRIC
ELEV	ELEVATOR/ELEVATION
EP	EPOXY PAINT
EQ	EQUAL
EQUIP	EQUIPMENT
EW	ELECTRIC WATER COOLER
EXIST	EXISTING
FD	FLOOR DRAIN
FEC	FIRE EXTINGUISHER CABINET
FF	FINISH FLOOR
FFE	FURNITURE, FIXTURE, AND EQUIPMENT
FHC	FIRE HOSE CABINET
FIN	FINISH
FLR	FLOOR
FND	FOUNDATION
FTG	FOOTING
FWC	FABRIC WALL COVERING

LIST OF ABBREVIATIONS	
CODE	LIST OF ABBREVIATIONS DESCRIPTION
GALV	GALVANIZED
GC	GENERAL CONTRACTOR
GEN	GENERAL
GL	GLASS OR GLAZING
GW	GYPSTUM WALL BOARD
HB	HOSE BIB
HCP	HANDICAP
HDW	HARDWARE
HDWD	HARDWOOD
HM	HOLLOW METAL
HORZ	HORIZONTAL
HT	HEIGHT
IBC	INTERNATIONAL BUILDING CODE
INSUL	INSULATION
JAN	JANITOR
LAM	LAMINATE
LAV	LAVATORY
MAS	MASONRY
MB	MARKERBOARD
MDF	MEDIUM DENSITY FIBERBOARD
MECH	MECHANICAL
MH	MANHOLE
ML	MATCHLINE
MTL	METAL
MTL STD	METAL STUD
NC	NON COMBUSTIBLE
NIC	NOT IN CONTRACT
NOM	NOMINAL
NTS	NOT TO SCALE
OC	ON CENTER
OFCI	OWNER FURNISHED CONTRACTOR INSTALLED
OFOI	OWNER FURNISHED OWNER INSTALLED
OH	OVERHEAD
OSB	ORIENTED STRAND BOARD
PB	PARTICLE BOARD
PC	PRECAST
PLAM	PLASTIC LAMINATE
PLAST	PLASTER
PLYWD	PLYWOOD
PREV	PREVIOUS
PROV	PROVIDED
PT	PAINT
PTD	PAPER TOWEL DISPENSER
RAD	RADIUS
REINF	REINFORCEMENT
REQ'D	REQUIRED
REV	REVERSE
RM	ROOM
RO	ROUGH OPENING
RTU	ROOF TOP UNIT
SD	SMOKE DETECTOR
SECT	SECTION
SHT	SHEET
SIM	SIMILAR
SPD	SOAP DISPENSER
SPEC	SPECIFICATIONS
SQ	SQUARE
SUSP	SUSPEND
TC	THIN COAT
TEMP	TEMPORARY/TEMPERATURE
TO	TOP OF
TP	TOILET PARTITIONS
TPD	TOILET PAPER DISPENSER
TRTD	TREATED
TS	TRANSITION STRIP
TYP	TYPICAL
UL	UNDERWRITERS LABORATORIES
UNO	UNLESS NOTED OTHERWISE
VCT	VINYL COMPOSITION TILE
W/	WITH
WD	WOOD
WDW	WINDOW

PROJECT SPEC ID LIST	
SPEC ID	SPEC. SECTION & DESCRIPTION
ALSTOR-1	08 4313 - ALUMINUM STORE FRONT
FR STOP	07 8400 - THROUGH PENETRATION FIRESTOPPING
INSUL GL-1	08 8000 - CLEAR INSULATED GLAZING
INSUL-36	07 2119 - CLOSED CELL SPRAY FOAM INSULATION
MET FAB-2	05 5000 - STEEL PIPE BOLLARD WITH HDPE COVER
PEMB PNL-20	13 3419 - METAL WALL PANELS
SEALANT-1	07 9200 - JOINT SEALANT OR CAULKING WITH OR WITHOUT BACKER ROD
SMF-2	07 6200 - PREFINISHED ALUMINUM
TEMP GL-1	08 8000 - 1/4" TEMPERED GLASS
WD BLKG	06 1000 - WOOD BLOCKING

MATERIAL MATRIX	
	- CONCRETE; CUT/SURFACE PATTERN
	- FILL; SEE STRUCTURAL
	- BRICK; CUT PATTERN
	- BRICK; SURFACE PATTERN
	- ALUMINUM; CUT PATTERN
	- STEEL; CUT PATTERN
	- WOOD; CUT PATTERN
	- METAL PANEL; SURFACE

REMODEL LEGEND	
LEGEND	
	REMODELED CONSTRUCTION
	EXISTING CONSTRUCTION TO REMAIN

- PROJECT GENERAL NOTES
- A. THE OWNER'S NORMAL OPERATIONS WILL BE CONTINUED DURING CONSTRUCTION. THE CONSTRUCTION SHALL NOT INTERFERE WITH THESE OPERATIONS IN ANY WAY WITHOUT THE OWNER'S EXPRESSED CONSENT.
- C. IT SHALL BE EACH TRADE CONTRACTOR'S RESPONSIBILITY TO VISIT THE SITE AND FAMILIARIZE HIMSELF/HERSELF WITH ALL EXISTING CONDITIONS. EACH CONTRACTOR SHALL TAKE ALL NECESSARY FIELD MEASUREMENTS AND OTHERWISE VERIFY ALL DIMENSIONS AND EXISTING CONSTRUCTION CONDITIONS INDICATED AND/OR SHOWN ON THE DRAWINGS. SHOULD ANY ERROR OR INCONSISTENCY EXIST, THE CONTRACTOR SHALL NOT PROCEED WITH THE WORK AFFECTED THEREBY UNTIL REPORTING THE SAME TO THE ARCHITECT AND THE OWNER'S REPRESENTATIVE FOR CLARIFICATION AND/OR CORRECTION.
- D. DIMENSIONS FOLLOWED BY +/- SHALL BE REVIEWED AND ALL NECESSARY ADJUSTMENTS MADE PRIOR TO FABRICATION AND/OR INSTALLATION OF WORK. NOTIFY ARCHITECT/ENGINEER OF ANY DISCREPANCIES BEFORE PROCEEDING WITH THE WORK.
- E. ALL EXISTING CONSTRUCTION AND SURFACES WHICH ARE TO REMAIN BUT ARE AFFECTED BY THE WORK UNDER THIS CONTRACT SHALL BE RESTORED AND REFINISHED TO MATCH THE CONSTRUCTION, FINISH AND ALIGNMENT OF THE EXISTING ADJACENT CONSTRUCTION AND FINISHES.
- F. VERIFY QUANTITY, SIZE AND LOCATION OF ALL FLOOR, ROOF AND WALL OPENINGS FOR MECHANICAL AND ELECTRICAL WORK WITH THE APPROPRIATE TRADE. PROVIDE ALL OPENINGS SHOWN OR REQUIRED FOR COMPLETION OF WORK.
- G. COORDINATE SIZE AND LOCATION OF ALL ACCESS PANELS WITH APPROPRIATE TRADES.
- H. PROVIDE FIRE WATCH DURING FIELD CUTTING AND WELDING OPERATIONS, MEETING OWNER'S REQUIREMENTS.
- I. PROVIDE FIRE RETARDANT WOOD BLOCKING AND/OR 18 GA METAL PLATES BETWEEN STUDS AT ALL LOCATIONS REQUIRING BLOCKING IN WALL. THESE LOCATIONS INCLUDE BUT ARE NOT LIMITED TO GRAB BARS, CRASH RAILS, CABINETS, WALL HUNG SHELVES, ARTWORK, ETC.
- J. THE EXTENT OF HATCHING ON DRAWINGS IS ONLY SUFFICIENT TO INDICATE THE NATURE OF THE CONSTRUCTION OR MATERIALS. TERMINATION OF THE HATCHING SHALL NOT BE CONSTRUED TO REPRESENT A CHANGE OR TERMINATION OF MATERIAL.
- K. THE CONTRACTOR SHALL VERIFY THE EXISTENCE, LOCATION AND ELEVATION OF ALL UNDERGROUND UTILITIES IN WORK AREAS PRIOR TO PROCEEDING WITH CONSTRUCTION. ALL DISCREPANCIES SHALL BE DOCUMENTED AND FORWARDED TO ARCHITECT AND OWNER'S REPRESENTATIVE FOR ACTION.
- L. ALL WORK TO CONFORM TO THE REQUIREMENTS OF THE LOCAL AND STATE CODES.
- M. RELEVANT DIMENSIONS AND ELEVATIONS FOR EQUIPMENT INSTALLATIONS SHALL BE VERIFIED AGAINST MANUFACTURER'S CERTIFIED EQUIPMENT DRAWINGS.
- N. CONTRACTOR SHALL PROVIDE TEMPORARY DUST PROOF PARTITIONS AS REQUIRED, OR WHERE REQUESTED BY OWNER'S REPRESENTATIVE. PARTITIONS SHALL BE FIRE RATED WHERE REQUIRED BY CODE HAVING JURISDICTION. ALL TEMPORARY PARTITIONS SHALL BE CONSTRUCTED IN A MANNER AND OF MATERIALS OFFERING ADEQUATE PROTECTION TO OWNER'S EQUIPMENT AND PERSONNEL.
- O. DO NOT SCALE DRAWINGS TO DETERMINE SIZES AND DIMENSIONS. USE FIGURED DIMENSIONS ONLY. DIMENSIONS ARE TO FINISHED FACE OF WALLS UNLESS OTHERWISE NOTED. ALL PERIMETER DIMENSIONS ARE FROM FACE OF PERIMETER WALLS. ALL DIMENSIONS TO EXISTING WALLS ARE TO FACE OF WALL UNLESS OTHERWISE NOTED.
- P. ALL PENETRATIONS TO FLOORS, CEILINGS AND WALLS SHALL BE SEALED AND FIRE STOPPED TO A FIRE RATING EQUAL TO THE CONSTRUCTION BEING PENETRATED.
- Q. NEW WORK SHALL ALIGN WITH AND MATCH EXISTING WORK UNLESS NOTED OTHERWISE.

Project Description:
Project consists of an exterior remodeling of an existing one story pre-engineered metal maintenance building located in Williston, North Dakota. The project includes replacement of all the exterior metal wall panels, new pre-finished metal trim, new soffit fascia, gutters and downspouts. The project includes the replacement of the front entry door with an aluminum storefront system along with several other non operable windows. The existing hollow metal doors, frames and overhead doors will be repainted. The occupancy type, construction type, function and space layout of the building will not change. All exiting will remain as is and no exiting paths will be altered. No interior work will be required for this project.

Alternate 1:
State the amount to be added to the base bid to provide all materials, labor and equipment required to remove and install new overhead door panels. Existing track, springs, hardware and operator to remain.

SYMBOLS LEGEND

ROOM IDENTIFICATION TAG

SAMPLE ROOM NAME

ROOM NAME

ROOM NUMBER

ROOM AREA

OPENING IDENTIFICATION TAGS

MARK

DOOR NUMBER

WINDOW IDENTIFICATION

CURTAINWALL / STOREFRONT IDENTIFICATION

COLUMN/GRID/LEVEL IDENTIFICATION

NEW COLUMN / STRUCTURAL GRID

EXISTING COLUMN / STRUCTURAL GRID

ELEVATION DATUM

ASSEMBLY IDENTIFICATION

WALL / FLOOR / ROOF TAG

MATERIAL/OBJECT IDENTIFICATION

MATERIAL ID TAG

REVISION DELTA AND CLOUD

REVISION TAG

REVISION CLOUD

DRAWING IDENTIFICATION

DRAWING NUMBER

View Name

DRAWING NAME

DRAWING SCALE

SHEET NUMBER

SECTION IDENTIFICATION

DIRECTION OF CUT

DRAWING NUMBER

SHEET NUMBER

DETAIL SECTION IDENTIFICATION

REF. LABEL

DRAWING NUMBER

SHEET NUMBER

ELEVATION IDENTIFICATION

ELEVATION NUMBER (REF. LABEL)

SHEET NUMBER

NORTH ARROW

SHEET KEYNOTES

KEYNOTE

DESIGN TEAM


Architect

JLG Architects
301 Second Street E., Suite A
Williston, ND 58801

P: 701.770.6413

Contact: Nick Lippert

PROJECT VICINITY MAP - Williston, ND



710 South 2nd Street
8th Floor
Minneapolis, MN 55401
phone: (612) 746-4260
www.jlgarchitects.com
copyright © 2026




REVISION SCHEDULE		
NO.	DESCRIPTION	DATE


NORTH DAKOTA GAME & FISH DEPARTMENT
NORTHWEST DISTRICT OFFICE BUILDING EXTERIOR REMODEL
5303 W FRONT ST. WILLISTON, ND 58801

DATE	9/15/2026
PHASE	CONSTRUCTION DOCUMENTS
PROJECT	ND GAME & FISH
260299	
SHEET	G101
TITLE SHEET	

9/15/2026 4:13:43 PM




5A
A050
ARCHITECTURAL SITE PLAN
SCALE: 1" = 30'-0"




2A
A050
ENLARGED FLOOR PLAN
SCALE: 1/8" = 1'-0"

KEYNOTES - SITE PLAN		
NO.	NOTE	REV.



2C
A050
BOLLARD SECTION DETAIL
SCALE: 3/4" = 1'-0"




710 South 2nd Street
8th Floor
Minneapolis, MN 55401
phone: (612) 746-4260
www.jlgarchitects.com
copyright © 2026



REVISION SCHEDULE		
NO.	DESCRIPTION	DATE

NORTH DAKOTA GAME & FISH DEPARTMENT
NORTHWEST DISTRICT OFFICE BUILDING EXTERIOR REMODEL
5303 W FRONT ST. WILLISTON, ND 58801

DATE	9/15/2026
PHASE	CONSTRUCTION DOCUMENTS
PROJECT	ND GAME & FISH
SHEET	260299
A050	
ARCHITECTURAL SITE PLAN	



GENERAL NOTES - EXTERIOR ELEVATIONS

A. REFER TO GLAZING ELEVATIONS FOR STOREFRONT ELEVATIONS

KEYNOTES - EXTERIOR ELEV.

NO	NOTE	REV.
1	REMOVE AND REPLACE MTL PANEL	
2	REMOVE AND REPLACE GUTTERS AND DOWNSPOUTS	
3	EXISTING ROOFING TO REMAIN	
4	REMOVE EXISTING BRICK WAINSCOTING	
5	EXIST. WINDOW TO REMAIN, RESEAL WITH SEALANT	
6	REMOVE AND REPLACE ENTRY STOREFRONT	
7	REMOVE AND REPLACE WINDOW	
8	INSTALL NEW METAL WAINSCOTING	
9	REMOVE AND REINSTALL EXISTING LIGHTING WALL PACK, RESEAL EDGES WITH SEALANT	
10	REMOVE AND REPLACE EXISTING FASCIA, SOFFIT	
11	REMOVE ANY SOIL, SAND, ROCK OR DEBRIS ALONG EDGE OF BUILDING	
12	ANY UNUSED CONDUITS/GAS LINES TO BE REMOVED (FIELD VERIFY IF UTILITY LINE IS IN USE)	
13	REMOVE AND REPLACE BOLLARD	
14	EXISTING O.H. DOOR, EXISTING TRACK, HARDWARE AND OPERATOR TO REMAIN	
15	REMOVE AND REPLACE EXISTING O.H. DOOR, BID ALTERNATE 1	
16	NEW LIGHT FIXTURE	
17	ADD NEW WINDOW	
18	NEW PRECAST CONCRETE SPLASH BLOCK	
19	EXISTING MECHANICAL TO REMAIN.	
20	EXISTING CONDENSATE LINE TO REMAIN.	
21	EXISTING GAS METER TO REMAIN	
22	EXISTING GAS LINE TO REMAIN	
23	EXISTING ELECTRICAL TRANSFORMER TO REMAIN	
25	REPAINT EXISTING PERSONNEL DOOR AND FRAME	
26	INSTALL HDPE BOLLARD COVERS	
27	EXISTING WALL PENETRATIONS TO REMAIN. RESEAL AS REQUIRED	
28	REMOVE EXISTING OPENING AND INFILL W/ NEW PREFINISHED MTL PANEL	
29	REMOVE AND REPLACE EXISTING PREFINISHED MTL. TRIM.	
30	REPAINT O.H. DOOR JAMB AND HEAD CONDITIONS. REMOVE SCALE, PRIME THEN PAINT	
31	EXISTING ELECTRICAL JUNCTION BOX TO REMAIN	
32	GENERAL CONTRACTOR TO VERIFY PVC LINE IS REQUIRED, DEMO PIPE AND PATCH WALL AS REQUIRED IF LINE IS NOT OPERATIONAL.	
33	REMOVE AND REINSTALL EXISTING CONDUIT	
34	REMOVE AND REINSTALL EXISTING CONDUIT AND ELEC. BOXES	



710 South 2nd Street
8th Floor
Minneapolis, MN 55401
phone: (612) 746-4260
www.jlgarchitects.com
copyright © 2026



REVISION SCHEDULE

NO.	DESCRIPTION	DATE
-----	-------------	------

SHEET SPEC ID LIST

SPEC ID	SPEC SECTION & DESCRIPTION
---------	----------------------------

REMODEL LEGEND

LEGEND

- REMODELED CONSTRUCTION
- EXISTING CONSTRUCTION TO REMAIN

PROJECT NOTES:

(ALL MATERIAL COLOR SELECTIONS ARE FROM BUTLER BUILDING STANDARD COLOR SELECTIONS)

1. PROJECT COLORS:

- A. TRIM: COOL SOLAR
- B. MAIN: COOL SHELL GRAY
- C. WAINSCOT: COOL GRAY STONE

NORTH DAKOTA GAME & FISH DEPARTMENT
NORTHWEST DISTRICT OFFICE BUILDING EXTERIOR REMODEL
5303 W FRONT ST. WILLISTON, ND 58801

DATE
9/15/2026


PHASE
CONSTRUCTION DOCUMENTS
ND GAME & FISH

PROJECT
260299


SHEET
A301
EXTERIOR ELEVATIONS

D
C
B
A


9/15/2026 4:13:52 PM




6C
A302 **SF1**
SCALE: 1/4" = 1'-0"




5C
A302 **W1**
SCALE: 1/4" = 1'-0"




4C
A302 **W2**
SCALE: 1/4" = 1'-0"




DOOR TYPES - OH (ALTERNATE 1)




4B
A302 **OH DOOR HEAD**
SCALE: 1 1/2" = 1'-0"




4A
A302 **OH DOOR JAMB**
SCALE: 1 1/2" = 1'-0"




3C
A302 **HOLLOW METAL DOOR HEAD DETAIL**
SCALE: 3" = 1'-0"




3B
A302 **HOLLOW METAL DOOR JAMB DETAIL**
SCALE: 3" = 1'-0"



2C
A302 **STOREFRONT HEAD DETAIL**
SCALE: 3" = 1'-0"



2B
A302 **STOREFRONT JAMB DETAIL**
SCALE: 3" = 1'-0"



2A
A302 **STOREFRONT SILL DETAIL**
SCALE: 3" = 1'-0"

REMODEL LEGEND

LEGEND


- REMODELED CONSTRUCTION
EXISTING CONSTRUCTION TO REMAIN

SHEET SPEC ID LIST

SPEC ID	SPEC SECTION & DESCRIPTION
ALSTOR-1	08 4313 - ALUMINUM STORE FRONT
INSUL GL-1	08 8000 - CLEAR INSULATED GLAZING
SEALANT-1	07 9200 - JOINT SEALANT OR CAULKING WITH OR WITHOUT BACKER ROD
SMF-2	07 6200 - PREFINISHED ALUMINUM
TEMP GL-1	08 8000 - 1/4" TEMPERED GLASS

JLG
architects

710 South 2nd Street
8th Floor
Minneapolis, MN 55401
phone: (612) 746-4260
www.jlgarchitects.com
copyright © 2026



REVISION SCHEDULE

NO.	DESCRIPTION	DATE
-----	-------------	------

NORTH DAKOTA GAME & FISH DEPARTMENT
NORTHWEST DISTRICT OFFICE BUILDING EXTERIOR REMODEL
5303 W FRONT ST. WILLISTON, ND 58801

DATE
9/15/2026

PHASE
CONSTRUCTION DOCUMENTS

PROJECT
ND GAME & FISH

SHEET
260299

A302

DOOR/FRAME
TYPES

D

C

B

A

9/15/2026 4:13:53 PM

6

5

4

3

2

1

REMODEL LEGEND

LEGEND

- REMODELED CONSTRUCTION
- EXISTING CONSTRUCTION TO REMAIN

GENERAL NOTES - EXTERIOR ELEVATIONS

A. REFER TO GLAZING ELEVATIONS FOR STOREFRONT ELEVATIONS

JLG
architects

710 South 2nd Street
8th Floor
Minneapolis, MN 55401
phone: (612) 746-4260
www.jlgarchitects.com
copyright © 2026



REVISION SCHEDULE

NO.	DESCRIPTION	DATE
-----	-------------	------

NORTH DAKOTA GAME & FISH DEPARTMENT
NORTHWEST DISTRICT OFFICE BUILDING EXTERIOR REMODEL
5303 W FRONT ST. WILLISTON, ND 58801

DATE
9/15/2026

PHASE
CONSTRUCTION
DOCUMENTS

PROJECT
ND FISH & GAME

SHEET
260299

A303

EXISTING
CONDITIONS



VENT HOOD TO REMAIN

3D SOUTH ELEVATION
A303 SCALE: 1/8" = 1'-0"



REMOVE AND REINSTALL EXISTING CONDENSATE LINES
AS REQUIRED FOR INSTALLATION OF NEW SIDING

5C WEST ELEVATION
A303 SCALE: 1/8" = 1'-0"




REMOVE LOOSE SAND, SOIL, ROCK, AND DEBRIS
FIELD VERIFY

4C EXISTING CONDITIONS AT BASE OF BUILDING
A303 SCALE: 1/8" = 1'-0"



REMOVE WINDOW INFILL
REPLACE WITH PREFINISHED
MTL PANEL

3C WINDOW OPENING
A303 SCALE: 1/8" = 1'-0"




REMOVE SCALE, PRIME AND PAINT
JAMB CONDITIONS

5B OVERHEAD DOOR SILL CONDITION
A303 SCALE: 1/8" = 1'-0"



EXISTING PENETRATIONS
TO REMAIN
FIELD VERIFY

4B SOUTH ELEVATION
A303 SCALE: 1/8" = 1'-0"



BRICK WAINSCOT TO BE REMOVED
AND REPLACED WITH SIDING

3B BRICK WAINSCOT
A303 SCALE: 1/8" = 1'-0"



REMOVE AND REINSTALL EXISTING
CONDENSATE LINES AS NECESSARY FOR
INSTALLATION OF NEW SIDING

EXISTING MECHANICAL TO REMAIN

EXISTING FENCING TO REMAIN

6A WEST ELEVATION
A303 SCALE: 1/8" = 1'-0"



REMOVE AND REPLACE
GUTTER AND DOWNSPOUT

VERIFY UTILITY LINES ARE IN USE,
REMOVE ANY ABANDONED GAS LINES,
PIPES, AND CONDUIT

5A GUTTERS AND DOWNSPOUTS
A303 SCALE: 1/8" = 1'-0"



REMOVE AND REPLACE
EXISTING BOLLARD

4A BOLLARD EXISTING CONDITION
A303 SCALE: 1/8" = 1'-0"



UNIT PRICE TO REMOVE AND REPLACE THE
EXISTING OVERHEAD DOORS

3A OVERHEAD DOOR CONDITION
A303 SCALE: 1/8" = 1'-0"